




**PRODUCTS
PROGRAM**





ABOUT US
YOHAMA



YOHAMA IS A LOCAL BRAND OF **AUTOMOTIVE
INDUSTRIAL AND MARINE LUBRICANTS OFFERING A WIDE
RANGE OF GERMAN FORMULATED AND LOCALLY
BLENDED OILS, LUBRICANTS & GREASES.
OUR FORMULATION IS OUR DIFFERENTIATOR AND
THE KEY TO ENSURING EXCELLENCE IN OUR
PRODUCTS AS WELL AS UNLOCKING NEW
BUSINESS FRONTIERS. SUSTAINABILITY IS AT THE
CORE OF EVERYTHING THAT WE DO, AS WE BELIEVE
IN BINDING THE GOOD IN ENERGY TO ADD
QUALITY TO EVERYDAY LIVES.**



GERMAN TECHNOLOGY

POWER TO THE CONqUER



YOHAMA
LIQUID ENGINEERING

CTX 1

FULLY SYNTHETIC

HIGH-PERFORMANCE FOUR STROKE MOTOR CYCLE OIL

DESCRIPTON

Today's vehicles need a motor oil that keeps pace with their changing demands and does more to improve performance and engine life. This is why Yohama came up with an entirely new way to produce synthetic base oils.

FEATURES AND BENEFITS:

- *Good lubrication & protection of engine, clutch and gearbox.*
- *Proper cooling of engine parts.*
- *Additives ensure smooth operation of wet clutch*
- *Reduces bearing & valve train wear.*
- *Suitable for all seasons.*



SPECIFICATIONS

SN - 0W20, 0W30, 5W30, 5W40

SIZES

1L Packing



CTX PREMIUM PLUS

FULLY SYNTHETIC

IT IS A MULTI-GRADE ENGINE OIL
FORMULATED WITH SPECIAL ADDITIVES

DESCRIPTON

YOHAMA - 0W20 SN is a high-performance, multigrade engine oil for gasoline engines in passenger automobiles, light commercial vehicles, and industrial or marine passenger car engines that require API SG performance oils. It has strong detergency, antioxidant, and anti-corrosion properties, all of which protect and prevent engine damage.

FEATURES AND BENEFITS:

It protects equipment by creating a lubricating coating around it.

It provides outstanding anti-oxidation stability even in the presence of heavy metals like copper and bronze, it provides outstanding anti-oxidation stability.

Gear oil is composed comprised of a paraffinic basis with a high viscosity index, which prevents it from thinning down too much at high temperatures.



SPECIFICATIONS

SN - 0W-20, 0W-30

SIZES

1L, 4L Packing



CTX PREMIUM

SEMI-SYNTHETIC

*IT IS A MULTI-GRADE ENGINE OIL
FORMULATED WITH SPECIAL ADDITIVES*

DESCRIPTON

It is a multi-grade engine oil formulated with special additives and has the ability to withstand temperature fluctuation.

Its special additives prevent corrosion, oxidation, and foam building. It is designed to keep your engine running like new by providing exceptional wear protection.

FEATURES AND BENEFITS:

It protects the engine by forming a film-like structure across all of its components.

Advanced additives assist to clean and extend the life of the engine.

It has a high level of wet clutch friction stability.

It protects the motor from high RPMs and heat.



SPECIFICATIONS

SN - 5W30, 5W40

SIZES

1L, 4L Packing



CTX SUPREME PLUS

*IT IS A MULTI-GRADE ENGINE OIL
FORMULATED WITH SPECIAL ADDITIVES*

DESCRIPTON

It's high-quality new engine oil that's been precisely developed for today's gasoline and diesel engines, providing outstanding all-around performance. It cleans well, protects against wear, and prevents oil deterioration for the duration of the specified oil drain interval.

FEATURES AND BENEFITS:

It protects the engine by forming a film-like structure across all of its components.

Advanced additives assist to clean and extend the life of the engine.

It has a high level of wet clutch friction stability.

It protects the motor from high RPMs and heat.

To keep the vehicle stable, it has outstanding thermal and oxidative stability capabilities.



SPECIFICATIONS

SN - 10W/30, 10W/40

SIZES

1L, 4L Packing



CTX SUPREME

**PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL**

DESCRIPTION

YOHAMA- SM 20W50 is a high performance oil for intensively used four-stroke diesel engines, including additives to minimize abrasion and deposit formation. It guarantees that the vehicle's performance is maintained even during extended trips, and it prevents oil thickening caused by high temperatures by employing additional cleaning additives.

FEATURES AND BENEFITS:

It has a multigrade viscosity that allows it to work at higher temperatures.

Even at high temperatures, it helps to minimize engine deposits.

Its advanced base oil lowers engine wear and provides outstanding thermal and oxidative stability.



SPECIFICATIONS

SM - 20W-50

SIZES

1L, 4L Packing



CTX SPECIAL

*PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL*

DESCRIPTON

Yohama SJ/CF 20W50 is a high performance oil for intensively used four-stroke diesel engines, including additives to minimize abrasion and deposit formation. It guarantees that the vehicle's performance is maintained even during extended trips, and it prevents oil thickening caused by high temperatures by employing additional cleaning additives.

FEATURES AND BENEFITS:

It has a multigrade viscosity that allows it to work at higher temperatures.

Even at high temperatures, it helps to minimize engine deposits.

Its advanced base oil lowers engine wear and provides outstanding thermal and oxidative stability.



SPECIFICATIONS

SJ/CF 20W-50

SIZES

4L Packing



SUPER RIDE

HIGH-PERFORMANCE FOUR STROKE MOTOR CYCLE OIL

DESCRIPTON

Is a high-performance multigrade motorcycle engine oil developed with advanced level additives to give superior engine wear prevention and extend the life of the engine. The superior motorcycle-specific cleaning additives prevent sludge formation and engine deposits.

FEATURES AND BENEFITS:

It protects the engine by forming a film-like structure across all of its components.

Advanced additives assist to clean and extend the life of the engine.

It has a high level of wet clutch friction stability.

It protects the motor from high RPMs and heat.

To keep the vehicle stable, it has outstanding thermal and oxidative stability capabilities.

SPECIFICATIONS

SJ - 20W-50

SIZES

800ml, 1L Packing



POWER RIDE

HIGH-PERFORMANCE FOUR STROKE MOTOR CYCLE OIL

DESCRIPTON

Is a high-performance multigrade motorcycle engine oil developed with advanced level additives to give superior engine wear prevention and extend the life of the engine. The superior motorcycle-specific cleaning additives prevent sludge formation and engine deposits.

FEATURES AND BENEFITS:

It protects the engine by forming a film-like structure across all of its components.

Advanced additives assist to clean and extend the life of the engine.

It has a high level of wet clutch friction stability.

It protects the motor from high RPMs and heat.

To keep the vehicle stable, it has outstanding thermal and oxidative stability capabilities.



SPECIFICATIONS

SF/CD - 20W-50

SIZES

700ml Packing





GERMAN TECHNOLOGY

POWER TO THE **CONqUER**



YOHAMA
LIQUID ENGINEERING

DELMAX PREMIUM PLUS

*PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL*

DESCRIPTION

It's a high-performance diesel engine oil that's been designed with advanced additives to fulfill the lubricating needs of today's contemporary engines.

High-performance base oils and superior blended additive systems protect the engine from oxidation, reduce slug buildup, provide clear engine protection against foaming and viscosity loss due to shear, and provide excellent performance in modern diesel and gasoline engines, as well as older engines running on low or high sulfur fuel.

FEATURES AND BENEFITS:

Under high-temperature operating conditions, it prevents the production of dangerous deposits.

It possesses anti-oxidant and anti-corrosion properties.



SPECIFICATIONS

CJ-4 - 15W40

SIZES

5L & 208L Packing



DELMAX PLUS

*PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL*



DESCRIPTION

It's a high-performance diesel engine oil that's been designed with advanced additives to fulfill the lubricating needs of today's contemporary engines.

High-performance base oils and superior blended additive systems protect the engine from oxidation, reduce slug buildup, provide clear engine protection against foaming and viscosity loss due to shear, and provide excellent performance in modern diesel and gasoline engines, as well as older engines running on low or high sulfur fuel.

FEATURES AND BENEFITS:

Under high-temperature operating conditions, it prevents the production of dangerous deposits.

It possesses anti-oxidant and anti-corrosion properties.

SPECIFICATIONS

CI-4 - 15W-40

SIZES

5L, 8L, 20L, 208L Packing



DELMAX EXTRA

*PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL*

DESCRIPTION

It's a high-performance diesel engine oil that's been designed with advanced additives to fulfill the lubricating needs of today's contemporary engines.

High-performance base oils and superior blended additive systems protect the engine from oxidation, reduce slug buildup, provide clear engine protection against foaming and viscosity loss due to shear, and provide excellent performance in modern diesel and gasoline engines, as well as older engines running on low or high sulfur fuel.

FEATURES AND BENEFITS:

Under high-temperature operating conditions, it prevents the production of dangerous deposits.

It possesses anti-oxidant and anti-corrosion properties.



SPECIFICATIONS

CH-4/SL - 15W40, 20W50

SIZES

4L, 5L, 8L, 20L, 208L Packing



DELMAX SUPER

*PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL*

DESCRIPTON

Yohama offers 15W40 CF-4 which is a multi-grade synthetic engine oil that provides lubrication to the engine. It excels in controlling high temperatures and providing thermal strength while ensuring that oil thickening is kept to a minimum. It's made using contemporary preservative technologies and offers oxidative strength to keep engine damage to a minimum.

FEATURES AND BENEFITS:

It prevents corrosion of engine components. Under high-temperature operating conditions, it prevents the production of dangerous deposits.

It possesses anti-oxidant and anti-corrosion properties.

It generates the maximum quantity of energy.



SPECIFICATIONS

CF-4 - 15W40, 20W50

SIZES

4L, 5L, 8L, 20L, 208L Packing



DELMAX SPECIAL

*PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL*

DESCRIPTION

It's a high-performance diesel engine oil that's been designed with advanced additives to fulfill the lubricating needs of today's contemporary engines.

High-performance base oils and superior blended additive systems protect the engine from oxidation, reduce slug buildup, provide clear engine protection against foaming and viscosity loss due to shear, and provide excellent performance in modern diesel and gasoline engines, as well as older engines running on low or high sulfur fuel.

FEATURES AND BENEFITS:

Under high-temperature operating conditions, it prevents the production of dangerous deposits.

It possesses anti-oxidant and anti-corrosion properties.



SPECIFICATIONS

CD - 20W50

SIZES

4L, 20L, 208L Packing



RANGER

*IT'S A HIGH-PERFORMANCE MONOGRADE
DIESEL ENGINE OIL*

DESCRIPTION

It's a high-performance monograde diesel engine oil designed for light and heavily loaded diesel engines (with or without turbocharging). It's formulated with a proprietary advanced additive that has detergent capabilities and helps the engine last longer by producing a protective coating on contact surfaces.

FEATURES AND BENEFITS:

Under high-temperature operating conditions, it prevents the production of dangerous deposits.

It possesses anti-oxidant and anti-corrosion properties.

It delivers outstanding wear protection even in the most complicated valve train devices. Low viscosity reduces internal engine friction.

The engine is safeguarded by a proven anti-wear additive system.



SPECIFICATIONS

CD - 50

SIZES

4L, 8L, 20L, 208L Packing



GERMAN TECHNOLOGY

POWER TO
THE **CONqUER**



YOHAMA
LIQUID ENGINEERING

GEAR GUARD HD

Gear oil is a high-performance mineral oil

DESCRIPTION

It protects equipment by creating a lubricating coating around it

It provides outstanding anti-oxidation stability even in the presence of heavy metals like copper and bronze, it provides outstanding anti-oxidation stability

Gear oil is composed comprised of a paraffinic basis with a high viscosity index, which prevents it from thinning down too much at high temperatures.

Anti-foaming qualities prevent corrosion of equipment.



SPECIFICATIONS

GL-5 - 85W140

SIZES

1L, 4L, 208L Packing



GEAR GUARD EP

*PREMIUM HIGH-PERFORMANCE
MULTI-GRADE DIESEL ENGINE OIL*



DESCRIPTON

*It protects equipment by creating a lubricating coating around it
It provides outstanding anti-oxidation stability even in the presence of heavy metals like copper and bronze, it provides outstanding anti-oxidation stability*

Gear oil is composed comprised of a paraffinic basis with a high viscosity index, which prevents it from thinning down too much at high temperatures.

Anti-foaming qualities prevent corrosion of equipment.

SPECIFICATIONS

GL-4 - 80W90, 85W140

SIZES

1L, 4L, 208L Packing



TRANSFORCE

HIGH-PERFORMANCE FOUR STROKE MOTOR CYCLE OIL

DESCRIPTON

Is a high-performance multigrade motorcycle engine oil developed with advanced level additives to give superior engine wear prevention and extend the life of the engine. The superior motorcycle-specific cleaning additives prevent sludge formation and engine deposits.

FEATURES AND BENEFITS:

It protects the engine by forming a film-like structure across all of its components.

Advanced additives assist to clean and extend the life of the engine.

It has a high level of wet clutch friction stability.

It protects the motor from high RPMs and heat.

To keep the vehicle stable, it has outstanding thermal and oxidative stability capabilities.

SPECIFICATIONS

ATF / DEX-III

SIZES

1L, 208L Packing





PEARL COOL

LONG LIFE Anti-Freeze / Coolant

DESCRIPTION

YOHAMA Genuine Coolant is a premium Quality product designed for customers in Tropical climates. formulated for hotter Climates where freezing is less of a threat, We maximize the cooling performance of This premixed coolant. Suitable for vehicles With or without air conditioning.

*Mixes with any antifreeze/coolant.
Increases cooling system efficiency.
Prevents overheating.
Resists freezing in cold weather
Protects against rust and corrosion.
Lubricates the water pump.
Will not harm rubber or mechanical parts.
Do not drink.*



SPECIFICATIONS

100% & 50% & 40%

SIZES

1L , 208L



YOHAMA

PREMIUM HIGH-PERFORMANCE MULTI-GRADE DIESEL ENGINE OIL

DESCRIPTION

It's a high-performance diesel engine oil that's been designed with advanced additives to fulfill the lubricating needs of today's contemporary engines.

High-performance base oils and superior blended additive systems protect the engine from oxidation, reduce slug buildup, provide clear engine protection against foaming and viscosity loss due to shear, and provide excellent performance in modern diesel and gasoline engines, as well as older engines running on low or high sulfur fuel.

FEATURES AND BENEFITS:

Under high-temperature operating conditions, it prevents the production of dangerous deposits.

It possesses anti-oxidant and anti-corrosion properties.

SPECIFICATIONS

CK-4/FA-4 PLUS 15W40 & 5w40

SIZES

208L Packing



Hydraulic - 68

HYDRAULIC OIL RANGE ARE BASED UPON MINERAL OIL ENHANCED WITH A STABILISED ZINC ADDITIVE SYSTEM



DESCRIPTON

Hydraulic is primarily for use in hydraulic equipment, but is suitable for other duties in which lubricants with good oxidation stability and lubrication performance are required. The quality of its base oils and additives permits the application of the RTX Hydraulic range in lightly loaded gears and for use as circulating oil in applications where a rust and oxidation inhibited oil is required.

FEATURES AND BENEFITS:

Good anti-wear performance – prevents wear of internal components reducing downtime.

Resistant to oxidation – extends service life.

Good water separation – reduces downtime and prolongs lubricant life.

SPECIFICATIONS

Hydraulic - 68

SIZES

8L, 20L, 208L Packing



YOHAMA BREIF PRODUCT RANGE

Industrial Grades

COMPRESSOR OIL

AIR MAXX 68/100/150

HYDRAULIC OIL

HYGROL 22/32/46/68/100/150/220/320 (With Group 1)
HYGROL XTRA 32/46/68/100/150/220/320 (With Group 2)

INDUSTRIAL GEAR OIL

GEARTEC (68/100/150/220/320/460/1000)

BEARING AND CIRCULATING OIL

CIRTEC 32/46/68/100/150

HEAT TRANSFER OIL

THERMOL 32/46

CHAIN OIL

CHAINTOP

RUST PREVENTIVE OIL

RUST PRO MAXX 140A
RUST PRO

SPINDLE OIL

SPINCOT 10 / 22

CUTTING OIL

NEATCUT
SOLCUT

SEWING OIL

SEWMAXX (UVSF)
SEWMAXX (SF)
SEWMAXX

TRANSFORMER OIL

TRANSFORCE

Commercial Vehicle Grades

PETROL ENGINE OIL

CTX PREMIUM PLUS(SYNTHETIC) (SN 0W20 / 0W40)
CTX PREMIUM (SEMI SYNTHETIC) (SN 5W30 / 5W40 / 5W50)
CTX SUPREME PLUS (SN 10W30 / 10W40)
CTX SUPREME (SM 20W50)
CTX SPECIAL (SJ/CF 20W50)
SUPER RIDE 4T (SJ 20W50)
POWER RIDE (SF/CD 20W50)

DIESEL ENGINE OILS

DELMAX PREMIUM PLUS (CJ4 5W30 / 5W40)
DELMAX PLUS (CI-4 Plus 15W40 / 20W50)
DELMAX EXTRA (CH-4 15W40 / 20W50)
DELMAX SUPER (CF-4 15W40 / 20W50)
DELMAX SPECIAL (CD 15W40 / 20W50)
RANGER (CD 30/40/50)

AUTOMOTIVE GEAR OIL

GEARGARD HD (GL-5) 85W140
GEARGARD EP (GL-4) 90 / 140 / 80W90

ATF

TRANSMATIC (Dex III H / DEX VI)

BRAKE OIL

BRAKE GARD (Dot 3 / Dot 4)

COOLANT

PEARL COOL (30% 50% & 70%)

GREASES

ALPHA CLASSIC EP (EP0 / EP1 / EP2 / EP3)
ALPHA CLASSIC MP (MP2 / MP3)

Marine Engine Oil

MARINE GARD (30/40/50)